


FIG. 1



2/11

FIG. 2




FIG. 4





FIG. 5



5 / 11

FIG. 6





FIG. 7



7/11

FIG. 8

RBP	ITEMS	CONTENTS
0	MINIMUM LINEAR VELOCITY AT INNER MOST RADIUS	$V1_{\min}(\text{m/s}) \times 10$
1	RECORDING POWER AT $V1_{\min}$	$Pv1_{\min}(\text{mW}) \times 10$
2	RECORDING PULSE ADJUSTMENT WIDTH AT $V1_{\min}$	$\Delta Tv1_{\min}/Tw \times 100$
3	MAXIMUM LINEAR VELOCITY AT INNER MOST RADIUS	$V1_{\max}(\text{m/s}) \times 10$
4	RECORDING POWER AT $V1_{\max}$	$Pv1_{\max}(\text{mW}) \times 10$
5	RECORDING PULSE ADJUSTMENT WIDTH AT $V1_{\max}$	$\Delta Tv1_{\max}/Tw \times 100$
6	MINIMUM LINEAR VELOCITY AT OUTER MOST RADIUS	$V2_{\min}(\text{m/s}) \times 10$
7	RECORDING POWER AT $V2_{\min}$	$Pv2_{\min}(\text{mW}) \times 10$
8	RECORDING PULSE ADJUSTMENT WIDTH AT $V2_{\min}$	$\Delta Tv2_{\min}/Tw \times 100$
9	MAXIMUM LINEAR VELOCITY AT OUTER MOST RADIUS	$V2_{\max}(\text{m/s}) \times 10$
10	RECORDING POWER AT $V2_{\max}$	$Pv2_{\max}(\text{mW}) \times 10$
11	RECORDING PULSE ADJUSTMENT WIDTH AT $V2_{\max}$	$\Delta Tv2_{\max}/Tw \times 100$

8 / 11

FIG. 9





FIG. 10



9/11

FIG. 11






FIG. 12



10 / 11

FIG. 13



11 / 11

FIG. 14

